

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Anaconda Public Schools** 12 Deer Lodge Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1HVBBABP7VH521562 1998 C263 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D **Bluebird** International Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ✓ Yes ☐ No ✓ Forward Facing ☐ Aisle Facing ☐ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Karst Stage, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL ✓ 1st semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door Head lamp indicator C18 Stop lamps C6C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Anaconda Public Schools** 12 Deer Lodge Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1HVBBPLMOPH527293 1993 5910 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D International **Amtran** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Karst Stage, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL ✓ 1st semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door Head lamp indicator C18 Stop lamps C6C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



C20

C13

C13

C11

C6

C6

Interior mirror

Speedometer

Driver seat belt

Fire extinguisher (5 lbs)

Wheelchair forward facing (post 1993)

Steering gear

Body fluids kit

First aid kit

Defroster

Heaters

Brakes

Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 12 Deer Lodge **Anaconda Public Schools** Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1HVBBPLP0PH527319 1993 2531 Bus Type: (see ? for definition) Chassis Make Body Make ПА \square B ✓ C \Box D International **Amtran** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Karst Stage, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL ✓ 1st semester This inspection is for: 2nd semester Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps Color C18 C10 Ceiling - interior C18 Turn signal lamps - front C21 Seating Turn signal lamps - side (post 1987) C18 C14 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C18 C6 Marker lamps - rear Horn

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:	
Approved		Approved	
Not Approved		Not Approved	
Inspecting Patrol Officer:		Inspecting Patrol Officer:	
		· •	
Badge No.	Date	Badge No.	Date
Signature of District Official		Date	

C19

C17

C22

C5

C4

Strobe light - rear ***

Exhaust system (no leaks)

Tires (2/32" rear - 4/32" front min.)

Required by forest regulation:

Shovel (securely fastened)

Axe (securely fastened)

Identification - rear

Fuel tank

Stop arm

Cleanliness

No trailer hitch



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Anaconda Public Schools** 12 Deer Lodge Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1HVBBPLP1PH527300 5902 1993 Bus Type: (see ? for definition) Chassis Make Body Make ПА ПВ ✓ C \Box D International **Amtran** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Karst Stage, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL ✓ 1st semester 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps Color C18 C10 Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C18 C14 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 Defroster C11 Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened)

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:	
Approved		Approved	
Not Approved		Not Approved	
Inspecting Patrol Officer:		Inspecting Patrol Officer:	
Badge No.	Date	Badge No.	Date
Signature of District Official		Date	



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Anaconda Public Schools** 12 Deer Lodge Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1HVBBPLP1PH527314 1993 5899 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D International **Amtran** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Karst Stage, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL ✓ 1st semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door Head lamp indicator C18 Stop lamps C6C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Anaconda Public Schools** 12 Deer Lodge Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1HVBBPLP6PH527325 1993 5878 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D International **Amtran** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Karst Stage, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL ✓ 1st semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door Head lamp indicator C18 Stop lamps C6C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Anaconda Public Schools** 12 Deer Lodge Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1HVBBPLP7PH527317 1993 D429 Bus Type: (see ? for definition) Chassis Make Body Make ПА ПВ ✓ C \Box D International **Amtran** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: ☐ Gas ✓ Diesel Other Karst Stage, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL ✓ 1st semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear C11 C18 Turn signal lamps - rear Service door Head lamp indicator C18 Stop lamps C6C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus	IS:
Approved		Approved	
Not Approved		Not Approved	
Inspecting Patrol Officer:		Inspecting Patrol Officer:	
Badge No.	Date	Badge No.	Date
Signature of District Official		Date	

C22

C5

Stop arm No trailer hitch

Required by forest regulation:

Shovel (securely fastened) Axe (securely fastened)

C13

C13

C11

C6

C20

First aid kit

Defroster

Heaters

Body fluids kit

Wheelchair forward facing (post 1993)



Steering gear

Body fluids kit

On first inspection, this hus is

First aid kit

Defroster

Heaters

C13

C13

C11

C6

C20

Fire extinguisher (5 lbs)

Wheelchair forward facing (post 1993)

Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Anaconda Public Schools** 12 Deer Lodge Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1HVBBPLP7PH527334 1993 5873 Bus Type: (see ? for definition) Chassis Make Body Make ПА ПВ ✓ C \Box D International **Amtran** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Not Applicable ☐ Forward Facing ☐ Aisle Facing Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: ☐ Gas ✓ Diesel Other Karst Stage, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL ✓ 1st semester This inspection is for: Approved Approved Page Items listed in the Standards NΑ Items listed in the Standards No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 Batterv C12 Emergency door C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C6 Head lamp indicator C18 Stop lamps C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attache **Does not apply. ***New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.

on more moreonom, and bus is:		On remspection, this bus is:		
Approved		Approved		
Not Approved		Not Approved		
Inspecting Patrol Officer:		Inspecting Patrol Officer:		
Badge No.	Date	Badge No.	Date	
O'		D. (
Signature of District Official		Date		

C22

C5

Tires (2/32" rear - 4/32" front min.)

Required by forest regulation:

Shovel (securely fastened)

Axe (securely fastened)

On rainspaction this hus is

Cleanliness

Stop arm No trailer hitch

TR-13 Revised 11/04



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Anaconda Public Schools** 12 Deer Lodge Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1HVBBPLP8PH527312 1993 5903 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D International **Amtran** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Karst Stage, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL ✓ 1st semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door Head lamp indicator C18 Stop lamps C6C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Anaconda Public Schools** 12 Deer Lodge Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1HVBBPLP9PH527318 1993 5895 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D International **Amtran** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Karst Stage, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL ✓ 1st semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door Head lamp indicator C18 Stop lamps C6C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Anaconda Public Schools** 12 Deer Lodge Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1HVBBPLP9PH527321 1993 5875 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D International **Amtran** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Karst Stage, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL ✓ 1st semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door Head lamp indicator C18 Stop lamps C6C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Anaconda Public Schools** 12 Deer Lodge Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1HVBBPLP9PH527335 1993 5890 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D International **Amtran** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Karst Stage, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL ✓ 1st semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door Head lamp indicator C18 Stop lamps C6C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Anaconda Public Schools** 12 Deer Lodge Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 7302 1993 5912 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D International **Amtran** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Karst Stage, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL ✓ 1st semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C6 Head lamp indicator C18 Stop lamps C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

	,													
	actions to OPI from School District:													
☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.														
Please make corrections noted below. Don't black out the error, OPI may ne														
OPI County # and County Name			Distri	ct Name										
							_							
12 Deer Lodge					onda Public									
Vehicle I.D. # (VIN) - Entire Number Model Year			License # Rated Capacity *****											
	9901			19	991		5923		8					
Chas	sis Make			Ť	Body Mak	ie .	Bus Type: (see ? for definition)							
								✓A □B □C □D						
	Chevrolet						ntran	✓ A □ B □ C □ D						
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift	Equipped?									
✓ Y	es 🗆 No	✓ F	orwar	d Fa	acing [☐ Aisl	e Facing 🔲 N	ot Applicable						
Type	of Fuel:	Is B					ontractor Owned If co							
		1.0 2								,				
✓ G	as \square Diesel \square Other						Karst Stage	e, Inc						
					INSPE	CTION								
		TC	BE FIL	LEC			GHWAY PATROL							
	This	inspect	ion is fo	r:	✓ 1s	t semes	ster 2nd semes	ster						
			Appr	oved	ł					App	roved			
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in t		Yes	No	NA	Corr		
No.*	for School Buses in Montana			**		No.*	for School Bus				**			
C17	Identification - front					C34	Belt cutter **** attach	ed						
C18	Head lamps					C18	Interior lamps			-				
C10	Color					C18	Ceiling - interior			1	1			
C18	Turn signal lamps - front					C21 C14	Seating							
C18	Turn signal lamps - side (post 1987) Red amber signals - front					C14	Floor Aisle			1	1			
C18	Marker lamps - front					C22	Tools - storage							
C18	Windshield					C24	9			1	1			
C24	Windshield wipers					C13	Warning device							
C20	Exterior mirrors					C13	· ·			1	1			
C3	Battery					C12 Emergency door								
C4	Generator or alternator					C18	Red amber signals -	rear						
C11	Service door					C18	Turn signal lamps - re	ear						
C6	Head lamp indicator					C18	Stop lamps							
C6	Horn					C18	Marker lamps - rear							
C20	Interior mirror					C19	Strobe light - rear ***							
C6	Speedometer					C17	Identification - rear							
C2	Brakes					C4	Exhaust system (no le	eaks)			-			
C21	Driver seat belt		 			C5 C7	Fuel tank Tires (2/32" rear - 4/3	2" front min \	_	1	1	1		
C13	Steering gear Fire extinguisher (5 lbs)	1	-			C/	Cleanliness	∠ 11UHL (IIIII.)		+	1	1		
C13	First aid kit		 		+	C22	Stop arm			1	1	1		
C13	Body fluids kit				\vdash	C5	No trailer hitch		\dashv	1		1		
C11	Defroster						Required by forest r	egulation:		1				
C6	Heaters						Shovel (securely faste	-		t		1		
C20	Wheelchair forward facing (post 1993)	Ì				Axe (securely fastened)								
*Page n	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.**									driver.				
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:						
					Approved									
□ Not Approved					Not Approved									
Inspecting Patrol Officer:			Inspecting Patrol Officer:											
Badge No Date			Badge No Date											
Signa	ture of District Official					Date								



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Anaconda Public Schools** 12 Deer Lodge Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # IHVBBPLP8PH527326 1993 5884 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D International **Amtran** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Karst Stage, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL ✓ 1st semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door Head lamp indicator C18 Stop lamps C6C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.